

Your Hammer Specialist - The Complete Program



German Hand Tools

DEVELOPMENT
CONSTRUCTION
FABRICATION



PLASTIC MOULDING FACTORY · TOOL FACTORY

If quality is what really matters ... If precision, durability and multiple load capacity are top priorities, talk to us!



HighCor® Hardwood

MFC® -Cast steel



Reaching the goal directly, quickly and economically!

We speak your language!

We know the most economic technologies!

We combine plastic, steel and wood!

We produce in time and based on specifications!

We know, what we are talking about and that preferable for you ...




High-end qualities
Standard Program
Customer-/ Individual solutions
Single Branding
Packaging solutions
Displays / sets / advertising material

100 %
MADE
IN
GERMANY

Heads
Center Parts
Handles
Composite
Confection



High-end sectors: Classic car restoration · Caravans/Yacht construction · Private jets ·



Plastic Hammers · Soft Faced Hammers · Rubber Hammers · Alu / Copper Hammers

German workmanship - high quality production processes and ergonomic, perfectly concerted material components, guarantee „to hit the right mark, but not to damage it“!

Soft Faced - Buckling - Rubber - Hammers

- > Auto body work / metal: buckling, deforming, cutting, fitting
- > Furniture / wood / composites: driving, straightening, leveling
- > Yacht, caravan / GFK, material combinations: positioning, adjusting
- > Handcraft / all materials: installation work

Heads

- > Cellulose
- > Nylon
- > Rubber
- > Copper
- > Aluminium



Handles

- > Ash handle
- > HighCor® Hardwood
- > Tubular steel handle - RSF
- > Composite 2K

Individualisation / Branding

- > Printing on the shaft
- > Stamping the cast steel
- > Colour scheme
- > Packaging
- > Labels
- > Certification

Center part

- > Cast steel
- > Metal-Force-Cast®
- > Dead blow steel tube
- > Solid rubber





new ideas

creative thinking
innovative design
flexible processes
highest quality products

Start your impossible

Success factor flexibility - Development partner with overview and speed

Content



ARM+STRONG Hammers Page 5



Plastic Hammers Page 6



Dead Blow Soft Faced Hammers Page 7



Rubber Hammers Page 8



Soft Hammers Page 8



Alu Hammers..... Page 8



Copper Hammers Page 9



Spare HandlesPage 10



Spare Heads.....Page 11

The illustrated hammers are part of our standard program. The colors and materials of the ...

ARM+STRONG Hammers



A+S 2850

- > With polished, lacquered, contoured HighCor® handle
- > Heads made of shock-resistant cellulose-acetat, yellow, red or smoky

Art.-No.	mm	mm	g	PU
2852	27	265	305	6
2855	40	320	700	6
2857	60	380	1.895	4



A+S 2860

- > With polished, lacquered, contoured HighCor® handle
- > Heads made of shock-resistant PA12-Nylon

Art.-No.	mm	mm	g	PU
2862	27	265	305	6
2865	40	320	700	6
2867	60	380	1.895	4



A+S 2870

- > With polished, lacquered, contoured HighCor® handle
- > Heads made of shock-resistant cellulose-acetat, yellow, red or smoky and Nylon

Art.-No.	mm	mm	g	PU
2872	27	265	305	6
2875	40	320	700	6
2877	60	380	1.895	4



A+S 2880

- > With polished, lacquered, contoured HighCor® handle
- > Heads made of shock-resistant Desmopan

Art.-No.	mm	mm	g	PU
2885	40	320	700	6





... impact-heads are freely configurable and also the hammer handles: Hickory, Ash-tree or HighCor®

Plastic Hammers

KSH 2000


- > With polished, lacquered, contoured ash handle
- > Heads made of shock-resistant cellulose-acetat, yellow, red or smoky

Art.-No.	mm 	mm 	g 	PU 
2001	22	250	140	6
2002	27	265	215	6
2003	32	280	325	6
2004	35	290	400	6
2005	40	320	550	6
2006	50	340	860	6
2007	60	380	1.365	4



KSH 2100



- > With polished, lacquered, contoured ash handle
- > Heads made of shock-resistant Nylon

Art.-No.	mm 	mm 	g 	PU 
2101	22	250	140	6
2102	27	265	215	6
2103	32	280	325	6
2104	35	290	400	6
2105	40	320	550	6
2106	50	340	860	6
2107	60	380	1.365	4



KSH 2800


- > With polished, lacquered, contoured ash handle
- > Heads made of shock-resistant cellulose-acetat, yellow, red or smoky and Nylon

Art.-No.	mm 	mm 	g 	PU 
2801	22	250	140	6
2802	27	265	215	6
2803	32	280	325	6
2804	35	290	400	6
2805	40	320	550	6
2806	50	340	860	6
2807	60	380	1.365	4



KSH 2950

- > With polished, lacquered, contoured ash handle
- > Heads made of shock-resistant Desmopan

Art.-No.	mm 	mm 	g 	PU 
2951	22	250	140	6
2953	32	280	325	6
2955	40	320	550	6
2956	50	340	860	6



The illustrated hammers are part of our standard program. The colors and materials of the ...

Dead Blow Soft Faced Hammers

RSH 2050

- > Tubular steel handle
- > Plastic compound grip, resistant against solvents and oil
- > Heads made of shock-resistant cellulose-acetat



Art.-No.	mm	mm	g	PU
2053	32	300	600	5
2054	35	305	670	5
2055	40	310	820	5
2056	50	320	1.180	5



RSH 2150

- > Tubular steel handle
- > Plastic compound grip, resistant against solvents and oil
- > Heads made of shock-resistant Nylon

Art.-No.	mm	mm	g	PU
2153	32	300	600	5
2154	35	305	670	5
2155	40	310	820	5
2156	50	320	1.180	5
2157	60	335	1.800	5
2158	70	335	2.430	5



RSH 2250

- > With polished, lacquered, contoured hickory handle
- > Heads made of shock-resistant cellulose-acetat

Art.-No.	mm	mm	g	PU
2253	32	350	600	5
2254	35	355	670	5
2255	40	375	820	5
2256	50	385	1.180	5
2257	60	420	1.800	4



RSH 2350

- > With polished, lacquered, contoured hickory handle
- > Heads made of shock-resistant Nylon

Art.-No.	mm	mm	g	PU
2353	32	350	600	5
2354	35	355	670	5
2355	40	375	820	5
2356	50	385	1.180	5
2357	60	420	1.800	4
2358	70	370	2.330	4
2359	80	880	4.270	2
2360	100	1.000	6.935	1



... impact-heads are freely configurable and also the hammer handles: Hickory, Ash-tree or HighCor®

Rubber Hammers

GH 2450

- > Ash handle
- > DIN 5128-90 with two flat faces
- > 90 Shore black rubber

Art.-No.	mm	mm	g	PU
2451/A 100	40	260	180	5
2452/A 200	55	320	310	4
2453/A 400	65	330	540	4
2454/A 600	75	360	800	3
2455/A 900	90	380	1.250	2



GH 2550

- > Ash handle
- > DIN 5128-90 with two flat faces
- > 90 Shore natural coloured rubber

Art.-No.	mm	mm	g	PU
2551/A 200	55	320	310	5
2552/A 400	65	330	540	4
2553/A 600	75	360	800	3
2554/A 900	90	380	1.250	2



Soft Hammers

SH 2940

- > Hickory handle
- > Visco elastic polymer

Art.-No.	Size	mm	mm	g	PU
2941	1	70 x 45 x 43	280	156	4
2942	2	100 x 55 x 61	315	340	3
2943	3	110 x 70 x 67	335	567	2



Alu Hammers

AH 2900

- > Light metal hammer with ash handle
- > Cylindrical form
- > Round face

Art.-No.	Size	mm	mm	mm	g	PU
2903	250	35	80	290	370	6
2904	350	40	108	290	470	6
2905	500	50	98	320	660	6
2906	750	60	100	340	920	4
2907	1.000	60	130	380	1.200	4
2908	1.500	70	145	380	1.700	4



The illustrated hammers are part of our standard program. The colors and materials of the ...

AH 2910

- > Light metal hammer with ash handle
- > Cylindrical form
- > Flat face

Art.-No.	Size	mm	mm	mm	g	PU
2913	250	40	79	290	370	6
2914	350	40	107	290	470	6
2915	500	50	98	320	660	6
2916	750	60	100	340	920	6
2917	1.000	60	130	380	1.200	4
2918	1.500	70	145	380	1.700	4



AH 2920

- > Light metal hammer with ash handle
- > Sledge hammer
- > Flat face

Art.-No.	Size	mm	mm	mm	g	PU
2923	250	35	85	310	380	6
2924	350	35	118	310	480	6
2925	500	40	126	320	650	5
2926	750	50	124	330	910	5
2927	1.000	55	140	350	1.190	4
2928	1.500	60	168	400	1.940	4
2929	2.000	70	162	500	2.270	2



Copper Hammers

KH 2930

- > Sledge hammer with ash handle
- > DIN 5130 according
- > Double contoured locksmith hammer handle

Art.-No.	Size	mm	mm	mm	g	PU
2931	250	22	67	280	340	6
2932	300	22	80	280	390	6
2933	500	28	83	310	620	6
2934	750	30	105	330	910	5
2935	1.000	35	100	350	1.220	4
2936	1.500	40	117	360	1.735	4
2937	2.000	45	123	400	2.320	4



... impact-heads are freely configurable and also the hammer handles: Hickory, Ash-tree or HighCor®

Spare Handles



Spare Handle 2600

- > For plastic hammers
- > Ash handle
- > incl. iron ring wedges

Art.-No.	mm	
2601	250	46
2602	265	54
2603	280	79
2604	290	83
2605	320	86
2606	340	130
2607	380	155



Spare Handle 2650

- > For rubber hammers
- > Ash handle

Art.-No.	mm	
2651	260	38
2652	320	90
2653	330	95
2654	360	130
2655	380	140



Spare Handle 2750

- > For ARM+STRONG hammers
- > HighCor® handle
- > incl. iron ring wedges

Art.-No.	mm	
2752	260	90
2755	315	150
2757	375	230



Spare Handle 2660

- > For locksmith hammers
- > Ash handle
- > incl. iron ring wedges

Art.-No.	mm	
2661	300	98
2662	320	119
2663	360	184



The illustrated hammers are part of our standard program. The colors and materials of the ...

Spare Heads



Spare Heads 2510

> Heads made of shock-resistant Desmopan

Art.-No.	mm 	 g
2511	22	14
2513	32	42
2515	40	74
2516	50	130



Spare Heads 2400

> Heads made of shock-resistant cellulose-acetat, yellow, red or smoky


Art.-No.	mm 	 g
2401	22	14
2402	27	26
2403	32	42
2404	35	56
2405	40	74
2406	50	130
2407	60	216



Spare Heads 2500

> Heads made of shock-resistant Nylon

Art.-No.	mm 	 g
2501	22	12
2502	27	20
2503	32	34
2504	35	45
2505	40	56
2506	50	104
2507	60	166



... impact-heads are freely configurable and also the hammer handles: Hickory, Ash-tree or HighCor®


German workmanship - high quality production processes and ergonomic, perfectly concerted material components, guarantee 100% german workmanship!



DIN 5136



The anatomy of the closest stroke
fast handling · full control · close stroke



Halbach & Keplin GmbH & Co. KG · Weberstraße 6 · DE - 42899 Remscheid · Germany

Phone: 00 49 (0) 2191 / 57 48 · Fax: / 59 00 82 · www.hkr-werkzeuge.de · info@hkr-werkzeuge.de